L Number	Hits		DB	Time stamp
-	923	365/198.ccls. or 711/103.ccls. or 709/227-228	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/09/10 15:35
-	120713	<pre>(program\$3 or reprogram\$4) same (flash\$3 or eeprom or eprom or (non adjl volatile) or rom or prom)</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/10 15:36
_	6679	(program\$3 or reprogram\$4) same (start\$3 near2 address\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/11 12:49
_	162	(program\$3 or reprogram\$4) same (start\$3 near2 address\$3) same packet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/11 12:35
-	15	(program\$3 or reprogram\$4) same (sequential near2 address\$3) same packet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/10 16:16
_	56	<pre>(program\$3 or reprogram\$4) same ((sequential or increment\$3) near2 address\$3) same packet</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/11 12:52
_	5	<pre>((program\$3 or reprogram\$4) same (flash\$3 or eeprom or eprom or (non adj1 volatile) or rom or prom)) and ((program\$3 or reprogram\$4) same (start\$3 near2 address\$3) same packet) and ((program\$3 or reprogram\$4) same ((sequential or increment\$3) near2 address\$3) same packet)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/11 12:38
	7995	<pre>(program\$3 or reprogram\$4) same ((start\$3 or head\$3) near2 address\$3)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/10 15:37
_	3277	<pre>(program\$3 or reprogram\$4) same ((sequential or increment\$3) near2 address\$3)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/11 12:54
-	475	<pre>((program\$3 or reprogram\$4) same ((start\$3 or head\$3) near2 address\$3)) and ((program\$3 or reprogram\$4) same ((sequential or increment\$3) near2 address\$3)) and ((program\$3 or reprogram\$4) same (flash\$3 or eeprom or eprom or (non adj1 volatile) or rom or prom))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 12:59
:	289		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/10 15:36
_	1200	(365/198.ccls. or 711/103.ccls. or 709/227-228) or (717/168.ccls. or 717/174.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/11 13:03

			_	
_	5	<pre>(((program\$3 or reprogram\$4) same ((start\$3 or head\$3) near2 address\$3)) and ((program\$3 or reprogram\$4) same ((sequential or increment\$3) near2 address\$3)) and ((program\$3 or reprogram\$4) same (flash\$3 or eeprom or eprom or (non adj1 volatile) or rom or prom))) and ((365/198.ccls. or</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/11 13:03
-	· 1947	711/103.ccls. or 709/227-228) or (717/168.ccls. or 717/174.ccls.)) 365/198.ccls. or 711/103.ccls. or 711/154.ccls. or 709/227-228 or 712/37.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/03/11 13:08
-	2223	(365/198.ccls. or 711/103.ccls. or 711/154.ccls. or 709/227-228 or 712/37.ccls.) or (717/168.ccls. or 717/174.ccls.)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/10 15:36
-	15	(((program\$3 or reprogram\$4) same ((start\$3 or head\$3) near2 address\$3)) and ((program\$3 or reprogram\$4) same ((sequential or increment\$3) near2 address\$3)) and ((program\$3 or reprogram\$4) same (flash\$3 or eeprom or eprom or (non adj1 volatile) or rom or prom))) and ((365/198.ccls. or 711/103.ccls. or 711/154.ccls. or 709/227-228 or 712/37.ccls.) or (717/168.ccls. or 717/174.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/11 13:16
-	14	((((program\$3 or reprogram\$4) same ((start\$3 or head\$3) near2 address\$3)) and ((program\$3 or reprogram\$4) same ((sequential or increment\$3) near2 address\$3)) and ((program\$3 or reprogram\$4) same (flash\$3 or eeprom or eprom or (non adj1 volatile) or rom or prom))) and ((365/198.ccls. or 711/103.ccls. or 711/154.ccls. or 709/227-228 or 712/37.ccls.) or (717/168.ccls. or 717/174.ccls.))) and (@ad<19991215 or @rlad<19991215)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 12:34
-	2	5966723.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 12:34
-	0	5966723.pn. and packet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 12:57
-	1037	(program\$3 or reprogram\$4) same (flash\$3 or eeprom or eprom or (non adj1 volatile) or rom or prom) same packet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 13:54
_	475	<pre>((program\$3 or reprogram\$4) same ((start\$3 or head\$3) near2 address\$3)) and ((program\$3 or reprogram\$4) same ((sequential or increment\$3) near2 address\$3)) and ((program\$3 or reprogram\$4) same (flash\$3 or eeprom or eprom or (non adj1 volatile) or rom or prom))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 13:02

-	13	<pre>((program\$3 or reprogram\$4) same (flash\$3 or eeprom or eprom or (non adj1 volatile) or rom or prom) same packet) and (((program\$3 or reprogram\$4) same ((start\$3 or head\$3) near2 address\$3)) and ((program\$3 or reprogram\$4) same ((sequential or increment\$3) near2 address\$3)) and ((program\$3 or reprogram\$4) same (flash\$3 or eeprom or eprom or (non adj1 volatile) or rom or prom)))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 13:02
_	446	(program\$3 or reprogram\$4) same (flash\$3 or eeprom or eprom or (non adj1 volatile) or rom or prom) same (packet near2 data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 13:12
-	2223	(365/198.ccls. or 711/103.ccls. or 711/154.ccls. or 709/227-228 or 712/37.ccls.) or (717/168.ccls. or 717/174.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 13:13
-	11	((program\$3 or reprogram\$4) same (flash\$3 or eeprom or eprom or (non adj1 volatile) or rom or prom) same (packet near2 data)) and ((365/198.ccls. or 711/103.ccls. or 711/154.ccls. or 709/227-228 or 712/37.ccls.) or (717/168.ccls. or 717/174.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 13:51
-	126902	control near2 program	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 13:56
-	428	(control near2 program) and ((365/198.ccls. or 711/103.ccls. or 711/154.ccls. or 709/227-228 or 712/37.ccls.) or (717/168.ccls. or 717/174.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 13:54
-	120713	<pre>(program\$3 or reprogram\$4) same (flash\$3 or eeprom or eprom or (non adj1 volatile) or rom or prom)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 13:55
-	225	rewrite near2 control near2 program	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 13:56
-	22	(rewrite near2 control near2 program) and ((365/198.ccls. or 711/103.ccls. or 711/154.ccls. or 709/227-228 or 712/37.ccls.) or (717/168.ccls. or 717/174.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 13:57
_	1052	365/198.ccls. or 711/103.ccls. or 709/227-228	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/10 15:35
-	342	717/168.ccls. or 717/174.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/10 15:36
-	2583	(365/198.ccls. or 711/103.ccls. or 711/154.ccls. or 709/227-228 or 712/37.ccls.) or (717/168.ccls. or 717/174.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/10 15:36

		_		
-	108820	<pre>(program\$3 or reprogram\$4) with (flash\$3 or eeprom or eprom or (non adj1 volatile) or rom or prom)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/10 16:17
-	5634	(program\$3 or reprogram\$4) with ((start\$3 or head\$3 or begin or beginning) near2 address\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/09/10 16:26
_	2332	((start\$3 or head\$3 or begin or beginning) near2 address\$3) with increment\$3	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/10 16:24
_	6054	((start\$3 or head\$3 or begin or beginning) near2 address\$3) with (compar\$3 or match\$3 or check\$3 or detect\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/10 15:42
-	1150	<pre>(((start\$3 or head\$3 or begin or beginning) near2 address\$3) with (compar\$3 or match\$3 or check\$3 or detect\$3)) with (terminat\$3 or finish\$3 or end\$3)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/10 15:43
_	11	((program\$3 or reprogram\$4) with (flash\$3 or eeprom or eprom or (non adj1 volatile) or rom or prom)) and ((program\$3 or reprogram\$4) with ((start\$3 or head\$3 or begin or beginning) near2 address\$3)) and (((start\$3 or head\$3 or beginning) near2 address\$3) with increment\$3) and (((start\$3 or head\$3 or begin or beginning) near2 address\$3) with (compar\$3 or match\$3 or check\$3 or detect\$3)) with (terminat\$3 or finish\$3 or end\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/10 16:05
-	9	((365/198.ccls. or 711/103.ccls. or 711/154.ccls. or 709/227-228 or 712/37.ccls.) or (717/168.ccls. or 717/174.ccls.) and ((program\$3 or reprogram\$4) with (flash\$3 or eeprom or eprom or (non adj1 volatile) or rom or prom)) and (((start\$3 or head\$3 or begin or beginning) near2 address\$3) with (compar\$3 or match\$3 or check\$3 or detect\$3)) with (terminat\$3 or finish\$3 or end\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/10 16:06
_	2197	(program\$3 or reprogram\$4) with (flash\$3 or eeprom or eprom or (non adj1 volatile) or rom or prom) with (serial or sequential or succesive)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/10
-		<pre>((program\$3 or reprogram\$4) with (flash\$3 or eeprom or eprom or (non adj1 volatile) or rom or prom) with (serial or sequential or succesive)) and ((((start\$3 or head\$3 or begin or beginning) near2 address\$3) with (compar\$3 or match\$3 or check\$3 or detect\$3)) with (terminat\$3 or finish\$3 or end\$3))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/10 16:20
-	26156	address\$3 with increment\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/10 16:25

_	53	((program\$3 or reprogram\$4) with (flash\$3 or eeprom or eprom or (non adj1 volatile) or rom or prom) with (serial or sequential or succesive)) and (address\$3 with increment\$3) and ((program\$3 or reprogram\$4) with ((start\$3 or head\$3 or begin or beginning) near2 address\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/10 16:25
-	48		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/10 16:28
-	7686	program with (fast or quick)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/10 16:29
_	9	(((program\$3 or reprogram\$4) with (flash\$3 or eeprom or eprom or (non adj1 volatile) or rom or prom) with (serial or sequential or succesive)) and (((program\$3 or reprogram\$4) with (flash\$3 or eeprom or eprom or (non adj1 volatile) or rom or prom) with (serial or sequential or succesive)) and (address\$3 with increment\$3) and ((program\$3 or reprogram\$4) with ((start\$3 or head\$3 or begin or beginning) near2 address\$3))) and (@ad<19991215 or @rlad<19991215)) and (program with (fast or quick))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/10 16:29